



**DISTRIBUTOR OF PRE-RENDERED AND RAW
POLYSTYRENE PANELS & ACCESSORIES**

ABN 79 112 785 314

TRADE LIST	EFFECTIVE 19th March 05	PLAIN PANELS
-------------------	---	---------------------

Email: sales@atpolywell.com.au

		M GRADE		
Polypanel	Size	Thickness	Grade	
M EPS Sheet	2400 x1200	30mm	M	
M EPS Sheet	2400 x1200	40mm	M	
M EPS Sheet	2400 x1200	50mm	M	
M EPS Sheet	2400 x1200	60mm	M	
M EPS Sheet	2400 x1200	75mm	M	
M EPS Sheet	2400 x1200	80mm	M	
M EPS Sheet	2400 x1200	100mm	M	
		H GRADE		
Polypanel	Size	Thickness	Grade	
H EPS Sheet	2400 x1200	30mm	H	
H EPS Sheet	2400 x1200	40mm	H	
H EPS Sheet	2400 x1200	50mm	H	
H EPS Sheet	2400 x1200	60mm	H	
H EPS Sheet	2400 x1200	75mm	H	
H EPS Sheet	2400 x1200	100mm	H	
		RENDERED		
Rendered Polypanel	Size	Thickness	Grade	
M EPS Sheet	2400 x 1200	75mm	M	
M EPS Sheet	2700 x 1200	75mm	M	
H EPS Sheet	2400 x 1200	40mm	H	
H EPS Sheet	2700 x 1200	40mm	H	

The recommended Grade for exterior panels for ground level dwellings is H grade this grade ensures the impact strength is greater than S or SL along with a greater resistance to moisture rising up due to the density of the compacted polystyrene. The M grade which is available is recommended for 2nd stories as the impact resistance is marginally less and the moisture exposure is marginally less. The polystyrene is more compressed than the S grade or SL grades which are not recommended for this type of application.

Note: We carry as standard stock lines 40mm H grade, 75mm & 100mm M grade in plain polystyrene and also Pre-Rendered panels in 2.4m & 2.7m panels.

Also designated lengths up to a maximum of 5.0 metres can be produced and delivered to site.

7 BUTLER STREET EUMEMMERRING 3177
VICTORIA

PH 03 - 979 22676 FAX 03 - 979 22696



**DISTRIBUTOR OF PRE-RENDERED AND RAW
POLYSTYRENE PANELS & ACCESSORIES**

ABN 79 112 785 314

TRADE LIST	EFFECTIVE 19th March 05	PLAIN PANELS
-------------------	---	---------------------

Email: sales@atpolywell.com.au

		M GRADE		
Polypanel	Size	Thickness	Grade	
M EPS Sheet	2700 x1200	30mm	M	
M EPS Sheet	2700 x1200	40mm	M	
M EPS Sheet	2700 x1200	50mm	M	
M EPS Sheet	2700 x1200	60mm	M	
M EPS Sheet	2700 x1200	75mm	M	
M EPS Sheet	2700 x1200	80mm	M	
M EPS Sheet	2700 x1200	100mm	M	
		H GRADE		
Polypanel	Size	Thickness	Grade	
H EPS Sheet	2700 x1200	30mm	H	
H EPS Sheet	2700 x1200	40mm	H	
H EPS Sheet	2700 x1200	50mm	H	
H EPS Sheet	2700 x1200	60mm	H	
H EPS Sheet	2700 x1200	75mm	H	
H EPS Sheet	2700 x1200	100mm	H	
		RENDERED		
Rendered Polypanel	Size	Thickness	Grade	
M EPS Sheet	2400 x 1200	75mm	M	
M EPS Sheet	2700 x 1200	75mm	M	
H EPS Sheet	2400 x 1200	40mm	H	
H EPS Sheet	2700 x 1200	40mm	H	

The recommended Grade for exterior panels for ground level dwellings is H grade this grade ensures the impact strength is greater than S or SL along with a greater resistance to moisture rising up due to the density of the compacted polystyrene. The M grade which is available is recommended for 2nd stories as the impact resistance is marginally less and the moisture exposure is marginally less. The polystyrene is more compressed than the S grade or SL grades which are not recommended for this type of application.


Note: We carry as standard stock lines 40mm H grade, 75mm & 100mm M grade in plain polystyrene and also Pre-Rendered panels in 2.4m & 2.7m panels.

Also designated lengths up to a maximum of 5.0 metres can be produced and delivered to site.

7 BUTLER STREET EUMEMMERRING 3177

VICTORIA

P H 0 3 - 9 7 9 2 2 6 7 6 F A X 0 3 - 9 7 9 2 2 6 9 6



**DISTRIBUTOR OF PRE-RENDERED AND RAW
POLYSTYRENE PANELS & ACCESSORIES**

ABN 79 112 785 314

TRADE LIST	EFFECTIVE 19th March 05	PLAIN PANELS
-------------------	---	---------------------

Email: sales@atpolywell.com.au

PolyScrews	Size	Thickness	Grade	
500 per carton	10 x 75mm sq drive or Phillips head	10g	C3 gal	
500 per carton	10 x 100mm sq drive or Phillips head	10g	C3 gal	
500 per carton	10 x 125mm sq drive or Phillips head	10g	C3 gal	
500 per carton	10 x 130mm sq drive or Phillips head	10g	C3 gal	
Polywashers	Size	Thickness	Grade	
500 per bag	40mm dia	10g	100% plastic	
PolyExternals	Size	Thickness	Grade	
Double Galv	2.9m			
Stainless Steel	2.9m		409	
Prime Coated	2.9m			
Polymesh	Size	Thickness	Grade	
Broadloom mesh	1.2m x 75m		Self Adhesive	
Broadloom mesh	1.0m x 50m 1.2m x 50m		Non Adhesive Non Adhesive	
Polyjoining Mesh	Size	Thickness	Grade	
Joining mesh	200mm x 50m		Self Adhesive	
Joining mesh	145mm x 50m		Self Adhesive	
Blueboard Tape	60mm x 75m	110 gsm	Self Adhesive	
Poly Sealants & Adhesives	Size	Color	Grade	
PolyPanel Sealant	600ml	Grey or White	Tremco	

Sealants & adhesives	SIZE		GRADE	
Tremco sealant & adhesive Fast cure	600ml	15 to carton	Fast cure	
Powers sealant & adhesive	300ml	12 to carton	Std	
Tremco adhesive	300ml	24 to carton	All purpose	
Enerfoam canisters	850g	12 to carton	Filler glue	
Enerfoam Gun	Std	1	Mid range	
600ml Polygun	600ml	1	Mid range	
Polyfoam Styroknife hot cutter	Atpoly 120	1	Handyman	
Polyfoam Styroknife hot cutter	Atpoly 140	1	Tradesman	

7 BUTLER STREET EUMEMMERRING 3177 VICTORIA
PH 03 - 97922676 FAX 03 - 97922696